

Dräger C-C550 Communication unit

Control unit for the tactical transmitter with integrated loudspeaker and microphone. Can be hooked up to a number of receiver models. Its strong and robust design is IP67 / MIL-STD-810G approved. Allows for independent deployments with the radio receiver (also without attached headset). User-friendly with two PTT buttons. ATEX versions available (regardless of radio transmitter type).



Benefits

Integrated microphone and speaker

The integrated microphone and the integrated speaker enable the use of the C-C550 without the upper unit.

Sturdy connection socket

As a sturdy and robust quick-connect socket, the C-C550 can be combined with any of the upper units allowing connection to different types of radio devices.

Robust and water-repellant

The C-C550 has been designed to be particularly sturdy and robust for many different applications as well as being watertight, complying with IP67 / MIL-STD-810G requirements.

ATEX approved

Should the system need to be used in environments where there is a potential explosion hazard, the C-C550 is designed in such a way that it meets ATEX requirements and has APEX approval.

Two large Push-To-Talk buttons

The two large push-to-talk buttons enable secure voice transmission whether the C-C550 is operated via the equipment or worn under protective clothing.

System Components



D-28795-2015

Dräger FPS®-COM 5000

Because there is no time for misunderstanding in an emergency: The Dräger FPS®-COM 5000 communication unit replaces the proven Dräger FPS®-COM-PLUS. It has been specifically developed for the full face mask Dräger FPS® 7000 and ensures clear communication through a voice amplifier unit or radio device – even under extreme conditions.



D-16614-2014

Dräger FPS®-COM 7000

The FPS®-COM 7000 provides hands-free communication between all wearers of respiratory protection devices during a mission. Excellent voice quality is achieved by removing all interfering noise.



D-28796-2015

Dräger HC-COM

The Dräger MS-COM, alternatively with swan neck microphone or with microphone positioned under the cap, can be combined with the C-C550 via stereo jack and adapted to radio units.

Related Products



Dräger C-C500

The Dräger C-C500 is a microphone/loudspeaker unit which can also be used with an upper unit (receiver/transmitter unit). As a communication solution it offers various optional functions for different applications including potentially explosive environments.

CORPORATE HEADQUARTERS
 Drägerwerk AG & Co. KGaA
 Moislinger Allee 53–55
 23558 Lübeck, Germany
www.draeger.com

**REGION EUROPE CENTRAL
 AND EUROPE NORTH**
 Dräger Safety AG & Co. KGaA
 Revalstraße 1
 23560 Lübeck, Germany
 Tel +49 451 882 0
 Fax +49 451 882 2080
info@draeger.com

REGION EUROPE SOUTH
 Dräger Safety France SAS
 25, rue Georges Besse
 92182 Antony Cedex
 Tel +33 1 46 11 56 00
 Fax +33 1 40 96 97 20
europe.south@draeger.com

REGION MIDDLE EAST, AFRICA
 Dräger Safety AG & Co. KGaA
 Branch Office
 P.O. Box 505108
 Dubai, United Arab Emirates
 Tel +971 4 4294 600
 Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA PACIFIC
 Draeger Safety Asia Pte Ltd
 25 International Business Park
 #04-20/21 German Centre
 Singapore 609916
 Tel +65 6308 9400
 Fax +65 6308 9401
asia.pacific@draeger.com

**REGION CENTRAL
 AND SOUTH AMERICA**
 Dräger Panama S. de R.L.
 Complejo Business Park,
 V tower, 10th floor
 Panama City
 Tel +507 377-9100
 Fax +507 377-9130
contactcsa@draeger.com

Locate your Regional Sales
 Representative at:
www.draeger.com/contact

